

VANDAL & WEATHER RESISTANT LIGHTING

URBAN REGENERATION



SOCIAL HOUSING



LOCAL AUTHORITY



TRANSPORT



SECURE ESTABLISHMENTS



ENDURANCE
LIGHTING THAT LASTS



ENDURANCE by

ÆTHER
L I G H T I N G

S T R O N G • D U R A B L E • B R I T I S H

Aether Lighting are excited to introduce a new range of LED vandal & weather resistant light fittings created from over 100 years of combined experience in the market...

This century of knowledge has enabled us to produce a British designed and manufactured range able to withstand extreme physical attack and severe weather conditions, coupled with some of the highest IP & IK ratings and aesthetics available. Suitable for interior and exterior installations, including anti-ligature options for secure establishments.

RANGE OVERVIEW

FORUM

Linear LED fitting with a contemporary design: slim, efficient & strong. Surface or angled versions available as standard.



TABOR

The 'tough brother' of the Forum, designed for installations where severe or prolonged attack may occur. Surface or angled versions available as standard.




CITADEL

Linear LED fitting with a slim-line curved profile capable of continuous mounting creating a fitting that is unrivalled in design, performance and adaptability. Surface or angled versions available as standard. Optional cable trunking system available.




SQ



Square bulkhead developed with LED at the forefront of its design as well as combining high performance, strength and durability. Surface or angled versions available as standard.

KALIXX



Round bulkhead developed with LED at the forefront of its design. With an impact rating of IK20 it is extra, extra strong and is conceivably the strongest vandal resistant fitting on the market.

Anti-ligature version also available.

SQ

Square LED bulkhead

PRODUCT CODE

LUMENS

LOAD

SQ/1420


1420

11.5W

SQ/1950

1950

17W



Square bulkhead developed with LED at the forefront of its design, combining high performance, strength and durability.

Body in zinc coated steel.

3mm opal polycarbonate diffuser secured by anti-tamper fixings.

CCT:	3000K
Finish:	Painted Textured Black
IP:	65
IK:	14

Other colours and technical modifications available, see page 13 for details.
Product codes in bold are more readily available.

SQ45

Angled LED bulkhead

PRODUCT CODE

SQ45/1420

SQ45/1950

LUMENS


1420

1950

LOAD

11.5W

17W



Wall mount angled bulkhead developed with LED at the forefront of its design, combining high performance, strength and durability. Body in zinc coated steel. 3mm opal polycarbonate diffuser secured by anti-tamper fixings.


CCT:	3000K
Finish:	Painted Textured Black
IP:	65
IK:	14

Other colours and technical modifications available, see page 13 for details.
Product codes in bold are more readily available.

FORUM

Strong & Slim LED luminaire

PRODUCT CODE	LUMENS	LENGTH (L)	LOAD
FOR/2/2250	2250	620mm	18W
FOR/2/2450	2450	620mm	20.5W
FOR/2/2900	2900	620mm	25W
FOR/4/4500	4500	1200mm	35W
FOR/4/4900	4900	1200mm	39W
FOR/4/5800	5800	1200mm	48W



Linear LED fitting with a contemporary design; slim, efficient & strong.
Body in zinc coated steel.
3mm opal polycarbonate diffuser secured by anti-tamper fixings.


CCT:	3000K
Finish:	Painted Textured Black
IP:	65
IK:	14

Other colours and technical modifications available, see page 13 for details.
Product codes in bold are more readily available.

FORUM45

Strong & slim angled LED luminaire

PRODUCT CODE	LUMENS	LENGTH	LOAD
FOR45/2/2250	2250	620mm	18W
FOR45/2/2450	2450	620mm	20.5W
FOR45/2/2900	2900	620mm	25W
FOR45/4/4500	4500	1200mm	35W
FOR45/4/4900 4900		1200mm	39W
FOR45/4/5800	5800	1200mm	48W



Angled linear LED fitting with a contemporary design; slim, efficient & strong.
Body in zinc coated steel.
3mm opal polycarbonate diffuser secured by anti-tamper fixings.


CCT:	3000K
Finish:	Painted Textured Black
IP:	65
IK:	14

Other colours and technical modifications available, see page 13 for details.
Product codes in bold are more readily available.

TABOR

Strong & durable LED linear luminaire

PRODUCT CODE	LUMENS	LENGTH (L)	LOAD
TAB/2/2250	2250	620mm	18W
TAB/2/2450	2450	620mm	20.5W
TAB/2/2900	2900	620mm	25W
TAB/4/4500	4500	1200mm	35W
TAB/4/4900	4900	1200mm	39W
TAB/4/5800	5800	1200mm	48W



Super-slim 'tough brother' of the Forum, designed for installations where severe or prolonged attack may occur. Body in zinc coated steel. 3mm opal polycarbonate diffuser secured by anti-tamper fixings.




CCT:	3000K
Finish:	Painted Textured Black
IP:	65
IK:	18

Other colours and technical modifications available, see page 13 for details.
Product codes in bold are more readily available.
Anti-ligature as standard when ceiling mounted.

TABOR45

Strong & durable LED angled luminaire

PRODUCT CODE	LUMENS	LENGTH	LOAD
TAB45/2/2250	2250	620mm	18W
TAB45/2/2450	2450	620mm	20.5W
TAB45/2/2900	2900	620mm	25W
TAB45/4/4500	4500	1200mm	35W
TAB45/4/4900 4900		1200mm	39W
TAB45/4/5800	5800	1200mm	48W



The 'tough brother' of the Forum, designed for installations where severe or prolonged attack may occur. Angled body in zinc coated steel. 3mm opal polycarbonate diffuser secured by anti-tamper fixings.




CCT:	3000K
Finish:	Painted Textured Black
IP:	65
IK:	18

Other colours and technical modifications available, see page 13 for details.
Product codes in bold are more readily available.
Anti-ligature as standard when ceiling mounted.

CITADEL

Slim-line curved profile LED luminaire

PRODUCT CODE	LUMENS	LENGTH (L)	LOAD
CIT/2/2250	2250	600mm	18W
CIT/2/2450	2450	600mm	20.5W
CIT/2/2900	2900	600mm	25W
CIT/4/4500	4500	1200mm	35W
CIT/4/4900	4900	1200mm	39W
CIT/4/5800	5800	1200mm	48W



Linear LED fitting with a slim-line curved profile capable of continuous mounting (available with optional cable trunking system).

Body in extruded aluminium.

Machined aluminium end caps secured by anti-tamper fixings.

3mm opal polycarbonate control lens designed to achieve superior optical performance.


CCT:	3000K
Finish:	Painted Smooth White
IP:	65
IK:	18

Other colours and technical modifications available, see page 13 for details.
Product codes in bold are more readily available.

CITADEL45

Angled curved profile LED luminaire

PRODUCT CODE	LUMENS	LENGTH	LOAD
CIT45/2/2250	2250	600mm	18W
CIT45/2/2450	2450	600mm	20.5W
CIT45/2/2900	2900	600mm	25W
CIT45/4/4500	4500	1200mm	35W
CIT45/4/4900 4900		1200mm	39W
CIT45/4/5800	5800	1200mm	48W



Angled LED fitting with a slim-line curved profile capable of continuous mounting (available with optional cable trunking system).
Body in extruded aluminium, mounted on zinc coated steel angled bracket.
Machined aluminium end caps secured by anti-tamper fixings.
3mm opal polycarbonate control lens designed to achieve superior optical performance.

CCT:	3000K
Finish:	Painted Smooth White
IP:	65
IK:	18

Other colours and technical modifications available, see page 13 for details.
Product codes in bold are more readily available.


KALXXX

Strong circular LED fitting

PRODUCT CODE	LUMENS	LOAD
--------------	--------	------

KAL/1420	1420	11.5W
-----------------	-------------	--------------

KAL/1950	1950	17W
----------	------	-----



Round bulkhead developed with LED at the forefront of its design. With an impact rating of IK20 it is extra, extra strong and is conceivably the strongest vandal resistant fitting on the market.

Aluminium spun body with steel bezel.

3mm opal polycarbonate diffuser secured by anti-tamper fixings.

CCT:	3000K
Finish:	Painted Smooth White
IP:	65
IK:	20



Other colours and technical modifications available, see page 13 for details.
Product codes in bold are more readily available.

MODIFICATION OPTIONS

All of our fittings can be modified to suit your project specific needs. The table below shows the most common modifications available. This list is not exhaustive so if you have a particular need, and it is not listed below, then please contact us.

DESCRIPTION	Add suffix	SQ	SQ45	FORUM	FORUM45	TABOR	TABOR45	CITADEL	CITADEL45	KALIXX
SEMI-RECESSED	/SR	●		●		●				
3 HOUR EMERGENCY	/EM3	●	●	●	●	●	●	●	●	●
CORRIDOR OPERATION	/COR	●	●	●	●	●	●	●	●	●
DALI DIMMING	/DALI	●	●	●	●	●	●	●	●	●
1-10V DIMMING	/10VD	●	●	●	●	●	●	●	●	●
CCT: 4000K	/4000	●	●	●	●	●	●	●	●	●
PHOTOCELL	/PEC	●	●	●	●	●	●	●	●	
SEPARATE CIRCUITS	/SEC			●	●	●	●	●	●	
NIGHT LIGHT	/NIL	●	●	●	●	●	●	●	●	●
MICROWAVE SENSOR	/MIW	●	●	●	●	●	●	●	●	●
SKI-SLOPE BODY	/MWB	●	●	●	●	●	●			
STAINLESS STEEL	/SS	●	●	●	●	●	●			
CABLE TRUNKING SYSTEM	/CMS					●+	●+	●+	●+	
ANTI-LIGATURE VERSION	/AL					STD**	STD**			●
PAINTED TEXTURED WHITE (RAL 9016)*	/W	●	●	●	●	●	●			●
END CONDUIT ENTRY	/ECE	●	●	●	●	●	●	●	●	

+Increases overall depth of fitting.
 *Other colours available upon request.
 **Anti-ligature as standard when ceiling mounted

SQ



SQ45



FORUM



FORUM45



TABOR



TABOR45



CITADEL



CITADEL45



KALIXX



ENDURANCE
LIGHTING THAT LASTS





THE STEELPLAN GROUP

Aether Lighting is part of the Steelplan Group. A collection of companies that manufacture & supply high quality British products.



STEELPLAN KITCHENS

Manufacturers & suppliers of high quality steel & metal kitchens for use in all semi-commercial environments.



STEELPLAN PRODUCTS

Steelplan Products, your manufacturing partner. We are proud to work alongside the UK's leading product manufacturers, providing our fine limit sheet metal expertise to suit their production needs. Our services include precision sheet metalwork, finishing and assembly.



ONE 2 SEE

Manufacturers & suppliers of LED illuminated traffic/regulatory road signs & hoop bollards.



MERAVIGLIA URBANA

Manufacturers & suppliers of high quality design led kitchens for commercial interiors.



AETHER LIGHTING

Manufacturers of architechnical lighting solutions.

ENDURANCE by


ÆTHER
L I G H T I N G

t: +44 (0)20 8254 0094

e: sales@aetherlighting.com | w: aetherlighting.com

